




GV-Web Report



Introduction

GV-Web Report is a centralized analytics platform that integrates data from GV-3D People Counter, GV-NVR, and GV-VMS. It supports analysis of people counting, face counting, and POS transactions. Designed for scalability, it can receive and process data from up to 1000 units of GV systems and devices, making it ideal for large-scale video surveillance deployments.

The Web interface provides flexible reporting capabilities, allowing users to generate real-time, hourly, daily, monthly, and yearly reports and graphs for operational insights.



Features

- Up to 1000 units of GV-3D People Counter and GV-NVR / VMS supported
- People counting results from GV-3D People Counter and GV-NVR / VMS
- Face counting results from GV-NVR / VMS
- POS data from GV-NVR / VMS
- Heat Map images from GV-VMS
- Real-time, daily, monthly, yearly counting reports and graphs
- E-mail notifications and I/O trigger when the remaining occupancy reaches the specified maximum
- Counting results query from iOS and Android mobile devices
- Grouping function for combining desired cameras for data analysis
- Automated data export scheduling
- 4 languages supported: English, Russian, Simplified Chinese, Traditional Chinese

Compatible GeoVision Products

- GV-NVR, GV-VMS
- GV-3D People Counter V2
- GV-3D People Counter V3

Minimum System Requirements

The following are minimum system requirements for the server to run GV-Web Report.

GV-NVR / VMS

GV-NVR	V8.3.2 or later
GV-VMS	V16.10 or later, V20 or later
Application	.Net Framework 3.5 or later dbSync2

Note:

1. .Net Framework and dbSync2 can be downloaded from Microsoft and GeoVision websites.
2. GV-VMS V20 does not support the transmission of the following data types to GV-Web Report: Face counting, POS data, and Heat Map.
3. GV-VMS V20 does not support dbSync2.

GV-Web Report

OS	32-bit	Windows 10 / 8 / 7 / Server 2008
	64-bit	Windows 11 / 10 / 8 / 7 / Server 2008
Application	.Net Framework 3.5 or later	
Browser	IE, Chrome, Edge, Firefox	
Hardware	External or Internal GV-USB Dongle	

Note:

1. It is recommended to use the internal GV-USB Dongle to have the Hardware Watchdog function which restarts the PC when Windows crashes or freezes.
2. Live view and playback functions are supported only via IE or Microsoft Edge in IE mode.

Software License

Free License	N/A
Maximum License	1000 clients
Increment for Each License	200, 500 or 1000 clients
Optional Combinations	N/A
Dongle Type	Internal or external

Note: The Maximum License is a paid service.

Compatible Firmware and Software Versions

GV-Web Report	GV-3D People Counter V2	GV-3D People Counter V3
GV-Web Report V3.0.0.0 or later	V1.00 or later	V1.00 or later (Plugin required)
GV-Web Report V3.1.0.0 or later	V1.00 or later	V1.00 or later