



GV-AI Guard PVD Motion Detection

Usage and Case Studies

Article ID: GV2-23-06-2

Release Date: June 2, 2023

Applied to

GV-AI Guard V1.1

Introduction

False alarms have long plagued security personnel, making **false alarm reduction** a top priority for surveillance systems. **Person and Vehicle Detection (PVD)** in GV-AI Guard uses deep-learning algorithms to provide more robust and accurate motion detection than traditional motion detection approaches.

Although **PVD** significantly advances motion detection capabilities, achieving 100% accuracy remains challenging due to the inherent complexities and uncertainties of real-world environments. The **PVD algorithms** use several detection thresholds to determine detection sensitivity and filter out false positives. You can fine-tune these thresholds to optimize **PVD motion detection** accuracy and performance for your specific cameras and applications.

This document includes **case studies** on fine-tuning PVD motion detection, alongside details on the **latest software patch** designed to improve PVD motion detection performance.

Latest Software Patch

With the latest patch V1.1.0.2, you can now adjust the detection thresholds. The patch is only applicable to GV-AI Guard V1.1.

GV-AI Guard patch V1.1.0.2 download:

<https://dlcdn.geovision.com.tw/Software/Patch/AIGuard/GV-AIGuardV1.1.0.2.zip>



Table of Contents

Applied to.....	1
Introduction	1
Latest Software Patch	1
PVD vs. Traditional Motion Detection	3
Confidence Threshold Settings	4
Case Studies	5




PVD vs. Traditional Motion Detection

Traditional motion detection is sensitive to lighting changes, shadows, and other environmental factors (raining, snowing, water ripples, branch swaying, etc.), whereas PVD motion detection can largely avoid these types of false positives.

Video Comparisons

- **Snow Scene:** The left camera, using traditional motion detection, continuously triggers motion events in the snow scene, with a red motion tag in the GV-AI Guard system. Simultaneously, the right camera, using PVD motion detection, detects no people or vehicle motion events in the snow scene.

Video clip: <https://youtu.be/UaruPu4oYNE>



- **Lighting Changes:** When the lighting changes, the camera using traditional motion detection is much more likely triggered than that using PVD motion detection. In this example, when the lighting in the hallway outside the door changes, the left camera in the meeting room using tradition motion is triggered.

Video clip: https://youtu.be/-ko_PsVWqoQ






Confidence Threshold Settings

The PVD algorithms identify people or vehicle motion based on several detection thresholds listed in the following dialog box. When the confidence level of a target exceeds the set threshold, it is classified as a PVD motion.

To meet your requirements optimally, you must consider the following two factors when changing the threshold values:

- **High confidence:** stricter identification requirements, **fewer events**, a greater likelihood of persons and vehicles, and **the possibility of undetected events**.
- **Low confidence:** less stricter identification requirements, **more events**, a lower likelihood of persons and vehicles, and **fewer chances of missing detection**.



Note: In GV-AI Guard V1.1.0.2, the default threshold for People is 50, Bicycle 50, Motorcycle 40, Car 55, Bus 25, and Truck 40.


The detected PVD motion type, confidence, and size are displayed in the AI Event Table of the system log. Based on the detection results, you can try different PVD settings to find the best confidence thresholds for your application and event frequency requirements.

AI Event Table					
Image	Time	Object	Event	Camera	Note
	5/3/2023 18:54:11	People	People and Vehicle Motion	Old Barn 18	People Motion, conf(54, 54), size(1/76, 1/76)



Case Studies


[Case 1]



Issue: A duck was misidentified as a person (people detection confidence 95, higher than the default 50).

Solution: Our system currently cannot identify animals. Future versions of GV-AI Guard will incorporate the feature.

[Case 2]




Issue: A potted plant was misidentified as a person (people detection confidence is 60-70, higher than the default 50).

Solution: When an object is fixed, smaller than a person/vehicle, or not placed in a main path that people/vehicles pass, it can be resolved by *masking* the false-positive object.



[Case 3]



Issue: On a rainy day, the metal netting pieces on trailers were misidentified as a truck (truck detection confidence is 50-66, higher than the default 40).

Solution:

1. When an object is fixed, smaller than a person/vehicle, or not placed in a main path that people/vehicles pass, it can be resolved by *masking* the false-positive object.
2. In contrast, when objects in a scene are moving, you could raise the detection threshold to 65, which would not cause misidentification issues but would increase the chances of undetected threats.